



Anticimex

Smart Connect Mini

Smart Connect Mini is the gateway for the Smart System that forwards pest information from traps and sensors to our Microsoft Azure environment.

The product consists of a control box which can connect with up to 200 Connect Mini devices in an automatically created wireless network, optimized for each unique installation, and without interfering with other networks. It connects directly to Microsoft Azure over the mobile network, or as a fallback through a plugged ethernet cable.

Smart Connect Mini is for indoor use only and is connected to a power socket using the included power supply. In case of power failure, a battery inside can keep the wireless network of devices alive for up to 5 years.

It's ideal for use in food processing and manufacturing plants, pharmaceutical and packaging industries, as well as in apartment blocks, hospitals, schools, government

Anticimex Smart

Anticimex Smart is an intelligent system that keeps an eye on things you do not want to see. By constantly monitoring and instantly reacting, it prevents costly infestations in an environmentally friendly way. Add the services traditionally provided by us, and you will get a solution that gives you the best of two worlds –automation and expertise.



Delivered in boxes containing:

- 1 Smart Connect Mini
- 1 Power supply



Anticimex Smart Connect Mini

Controls	Wireless control with NB-iot/cat-M1 data transfer with 2G/GPRS fallback. Data transmission using: 868-868,6 MHz (EU) 868-868,6 MHz (UK) 917-926 MHz (US) 917-926 MHz (AUS, NZ) 921 MHz and/or 922MHz (SG) 921 MHz and/or 922MHz (MY) 921 MHz (CO) 924 MHz (KH)
Installation	Wall mounted indoors, where mains power is available. Preferably located in a room with good connectivity.
Power Supply	100-240 V ~ 50/60 Hz main power
Plastic material	ASA, UV stabilized
IP classification	IP 21
Dimensions	L 177 / W 52 / H 123 mm (L 6.9 / W 2.0 / H 4.8 in)
Weight	0,27 kg (0.54 lb)
Article no.	300 110 Smart Connect Mini EU power plug 300 110A Smart Connect Mini US Power Plug (Type A) 300 110G Smart Connect Mini UK Power Plug (Type G) 300 110I Smart Connect Mini AUS Power Plug (Type I)
Certification	FCC ID: 2A0FP-300110

Accessories	D0035-5 Power Plug EU for Connect Mini
	D0035-8 Power Plug US for Connect Mini
	D0035-7 Power Plug UK for Connect Mini
	D0035-6 Power Plug AUS for Connect Mini

See FCC compliance statement and manuals on [Smart Net](#)